


10/644367

CJC

CHARLES B. GORDON
 THOMAS P. SCHILLER
 DAVID B. DEIOMA
 JOSEPH J. CORSO
 HOWARD G. SHIMOLA
 JEFFREY J. SOPKO
 JOHN P. MURTAUGH
 JAMES M. MOORE
 MICHAEL W. GARVEY
 RICHARD A. SHARPE
 RONALD M. KACHMARIK
 PAUL A. SERBINOWSKI
 BRIAN G. BEMBENICK
 AARON A. FISHMAN



PEARNE & GORDON LLP
 ATTORNEYS AT LAW
 1801 EAST 9th STREET
 SUITE 1200
 CLEVELAND, OHIO 44114-3108
 TEL: (216) 579-1700 FAX: +1 (216) 579-6073
 EMAIL: ip@pearnegordon.com

STEPHEN S. WENTSLER
 ROBERT F. BODI
 SUZANNE B. GAGNON
 UNA L. LAURICIA
 STEVEN J. SOLOMON
 GREGORY D. FERNENGEL
 BRYAN M. GALLO
 BRAD C. SPENCER
 OF COUNSEL
 LOWELL L. HEINKE
 THADDEUS A. ZALENSKI
 PATENT AGENT
 TOMOKO ISHIHARA
 PATENT, TRADEMARK,
 COPYRIGHT AND RELATED
 INTELLECTUAL PROPERTY LAW

July 17, 2006

Mail Stop Certificate of Corrections Branch
 Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

**Certificate
 of Correction**
 JUL 26 2006

Re: U.S. Patent No.: 7,031,427 B2
 Issued: April 18, 2006
 Inventor: Jean-Marc Dinten et al.
 Our Docket: 36057

Sir:

A Certificate of Correction under 35 U.S.C. 254 is hereby requested to correct Patent Office printing errors in the above-identified patent. Enclosed herewith is a proposed Certificate of Correction (Form No. PTO-1050) for consideration along with appropriate documentation supporting the request for correction.

It is requested that the Certificate of Correction be completed and mailed at an early date to the undersigned attorney of record. The proposed corrections are obvious ones and do not in any way change the sense of the application.

We understand that a check is not required since the errors were on the part of the Patent and Trademark Office in printing the patent.

Very truly yours,

Jeffrey J. Sopko, Reg. No. 27676

JUL 27 2006

JJS:vlm
 Enclosures

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date indicated below.	
Jeffrey J. Sopko	
Name of Attorney for Applicant(s)	
July 17, 2006	
Date	 Signature of Attorney

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,031,427
DATED : April 18, 2006
INVENTOR(S) : Jean-Marc Dinten et al.

PAGE 1 OF 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5, line 24 please delete "(Φ object)" and insert therefore $-(\Phi, \text{object})$ --

Column 6, claim 11, line 36 please delete the formula and insert the following formula

$-K = [\Phi, \log(\Phi / \Phi_o)] \text{ object } [\Phi, \log(\Phi / \Phi_o)] \text{ imitation--}$

MAILING ADDRESS OF SENDER:


Jeffrey J. Sopko
Pearne & Gordon LLP
1801 East 9th Street
Suite 1200
Cleveland, Ohio 44114-3108

PATENT NO. 7,031,427

No. of additional copies

\Rightarrow 0

APR 18 2006



App. No. 10/644,367
Indt dated October 25, 2005
Reply to Office action of August 9, 2005

13. (Previously Presented) Application of the method according to claim 14 to non-destructive controls.

14. (Currently Amended) An object imaging method by multiple acquisitions, the acquisitions consisting in passing a radiation through the object, measuring the radiation having passed through the object, the radiation being attenuated through the object from an initial radiation (Φ_0) to a total measurement radiation (Φ_t object), and subtracting an estimation of a scattered radiation (Φ_s object) from the total measurement radiation, the measurement radiation and scattered radiation consisting of values associated to respective parts of the object, and wherein:

for at least one of said acquisitions, 45 values of scattered radiation (Φ_s imitation) are measured in passing the initial radiation through an imitation (8) of the ~~objet, object~~, transposition coefficients (K) relating the scattered radiation through the object to the scattered radiation through the imitation (8) are calculated based on the initial radiation (Φ_0), the total measurement radiation (Φ_t object) through the object and a total measurement radiation through the imitation (Φ_t imitation),

the scattered radiation through the object is estimated with the transposition coefficients and the scattered radiation through the imitation,

the values of total measurement radiation through the objects, the values of scattered radiation through the imitation and the transposition coefficients being spread in respective tables comprising corresponding elements so that each of the transposition coefficients is associated to a respective part of the object.

JUL 27 2006

Appl. No. 10/644,367

Amdt dated October 25, 2005

Reply to Office action of August 9, 2005

15. (Previously Presented)

An object imaging method according to

claim 14, wherein the coefficients are computed according to the formula:

$$K = \frac{[\Phi_i \log (\Phi_i / \Phi_o)]_{\text{object}}}{[\Phi_i \log (\Phi_i / \Phi_o)]_{\text{imitation}}}$$